


**AMENDMENTS TO THE CLAIMS:**

The following listing of claims will replace all prior versions and listings of claims in the application.

Claims 1-20 (canceled)

Claim 21 (currently amended): A synergistic fungicidal active compound combination according to Claim 19 where the active compound of groups (2), (3), (5), (6), (8), (9), (11), (12), (14), (16), (17), and (19) to (22), and (24) is one or more compounds comprising

(a) a carboxamide of formula (1-2)



and

(b) a compound selected from the group consisting of

- (2-1) azoxystrobin,
- (2-2) fluoxastrobin,
- (2-3) (2*E*)-2-(2-([6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy)phenyl)-2-(methoxyimino)-*N*-methylethanamide,
- (2-4) trifloxystrobin,
- (2-5) —(2*E*)-2-(methoxyimino)-*N*-methyl-2-(2-(((1*E*)-1-[3-(trifluoromethyl)-phenyl]ethyliden)amino)oxy)methyl]phenyl)ethanamide,
- (2-6) —(2*E*)-2-(methoxyimino)-*N*-methyl-2-(2-[(*E*)-((1-[3-(trifluoromethyl)phenyl]ethoxy)imino)methyl]phenyl)ethanamide,
- (2-9) kresoxim-methyl,
- (2-10) —dimoxystrobin,

- (2-11) picoxystrobin,
- (2-12) pyraclostrobin,
- (3-1) ~~azaconazole,~~
- (3-2) ~~etaconazole,~~
- (3-3) propiconazole,
- (3-12) epoxiconazole,
- (3-15) prothioconazole,
- (3-16) ~~fenbueconazole,~~
- (3-17) tebuconazole,
- (3-21) bitertanol,
- (3-22) ~~triadimenol,~~
- (3-23) ~~triadimefon,~~
- (4-2) tolyfluanid,
- (5-1) iprovalicarb,
- (5-3) benthiavalicarb,
- (6-2) boscalid,
- (6-6) fenhexamid,
- (6-7) carpropamid,
- (6-11) 3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide,
- (6-14) penhiopyrad,
- (6-16) ~~N-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1H-pyrrole-3-carboxamide,~~
- (7-1) mancozeb,
- (7-4) propineb,
- (8-1) ~~benalaxyl,~~
- (8-3) metalaxyl,
- (8-4) metalaxyl-M,
- (8-5) benalaxyl-M,
- (9-1) ~~cyprodinil,~~
- (9-3) pyrimethanil,

- (10-3) carbendazim,
- (11-2) propamocarb,
- (11-3) ~~propamocarb hydrochloride~~,
- (11-4) ~~propamocarb fosetyl~~,
- (12-4) iprodione,
- (14-2) prochloraz,
- (14-3) triazoxide,
- (16-1) ~~fenpiclonil~~,
- (16-2) fludioxonil,
- (16-3) ~~pyrrolnitrin~~,
- (17-1) fosetyl-Al,
- (19-2) chlorothalonil,
- (19-3) fenamidone,
- (19-10) spiroxamine,
- (19-13) ~~fenamidone~~,
- (20-1) pencycuron,
- (21-1) ~~fenoxanil~~,
- (22-1) 5-chloro-*N*-[(*IS*)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-a]pyrimidine-7-amine,
- (22-2) 5-chloro-*N*-[(*IR*)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo[1,5-a]pyrimidine-7-amine, and
- (24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide[[.]]
- (24-2) ~~3-(difluoromethyl)-*N*-(3'-fluoro-4'-(*E*)-(methoxyimino)methyl)-1,1'-biphenyl-2-yl)-1-methyl-1*H*-pyrazole-4-carboxamide,~~
- (24-3) ~~3-(trifluoromethyl)-*N*-(3'-fluoro-4'-(*E*)-(methoxyimino)methyl)-1,1'-biphenyl-2-yl)-1-methyl-1*H*-pyrazole-4-carboxamide, and~~
- (24-4) ~~*N*-(3',4'-dichloro-1,1'-biphenyl-2-yl)-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide.~~

Claims 22-29 (canceled)

Claim 30 (Currently Amended): A method comprising applying an effective amount of an active compound combination according to Claim ~~19~~ 21 to seed.

Claim 31 (Currently Amended): Seed treated with a synergistic fungicidal active compound combination according to Claim ~~19~~ 21.

Claim 32 (Currently Amended): A method of controlling phytopathogenic fungi comprising applying an effective amount of a synergistic fungicidal active compound combination ~~one or more active compound combinations~~ according to Claim ~~19~~ 21 to the phytopathogenic fungi and/or their habitat and/or seed for which such control is desired.

Claim 33 (Currently Amended): A method of protecting transgenic plants from phytopathogenic fungi comprising applying an effective amount of an active compound combination according to Claim ~~19~~ 21 to the transgenic plants and/or their habitat.

Claim 34 (Previously Presented): A method according to Claim 30 wherein the seed is the seed of a transgenic plant.

Claim 35 (Currently Amended): A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim ~~19~~ 21 with one or more extenders and/or surfactants.

Claim 36 (New): The synergistic fungicidal active compound combination according to Claim 21, wherein compound (b) is present and selected from the group consisting of

(2-1) azoxystrobin,

(2-2) fluoxastrobin,

- (2-3) (2*E*)-2-(2-{{[6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl})-2-(methoxyimino)-*N*-methylethanamide,
- (2-4) trifloxystrobin,
- (2-9) kresoxim-methyl,
- (2-12) pyraclostrobin,
- (3-3) propiconazole,
- (3-15) prothioconazole,
- (3-17) tebuconazole,
- (3-21) bitertanol,
- (5-1) iprovalicarb,
- (5-3) benthiavalicarb,
- (6-2) boscalid,
- (6-14) penthiopyrad,
- (8-3) metalaxyl,
- (8-4) metalaxyl-M,
- (8-5) benalaxyl-M,
- (10-3) carbendazim,
- (11-2) propamocarb,
- (12-4) iprodione,
- (14-2) prochloraz,
- (14-3) triazoxide,
- (16-2) fludioxonil,
- (19-3) fenamidone,
- (20-1) pencycuron,
- (22-1) 5-chloro-*N*-[(*IS*)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine,
- (22-2) 5-chloro-*N*-[(*IR*)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo-[1,5-*a*]pyrimidine-7-amine,

(24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide, and  
wherein the ratio of compound (a) and compound (b) is 1:1.

Claim 37 (New): The synergistic fungicidal active compound combination according to Claim 21, wherein compound (b) is present and selected from the group consisting of

(2-11) picoxystrobin,  
(3-12) epoxiconazole,  
(6-7) carpropamid, and  
(6-11) 3,4-dichloro-*N*-(2-cyanophenyl)isothiazole-5-carboxamide, and  
wherein the ratio of compound (a) and compound (b) is 1:2.

Claim 38 (New): The synergistic fungicidal active compound combination according to Claim 21, wherein compound (b) is present and selected from the group consisting of

(4-2) tolyfluanid,  
(6-6) fenhexamid,  
(7-1) mancozeb,  
(7-4) propineb,  
(9-3) pyrimethanil,  
(12-4) iprodione,  
(19-2) chlorothalonil, and  
(19-10) spiroxamine, and  
wherein the ratio of compound (a) and compound (b) is 1:10.

Claim 39 (New): The synergistic fungicidal active compound combination according to Claim 21, wherein compound (b) is (17-1) fosetyl-Al, and wherein the ratio of compound (a) and compound (b) is 1:20.

Claim 40 (New): The synergistic fungicidal active compound combination according to Claim 21, wherein compound (b) is selected from the groups consisting of

- (2-1) azoxystrobin, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-2) fluoxastrobin, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-3) (2*E*)-2-(2-([6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl)-2-(methoxyimino)-*N*-methylethanamide, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-4) trifloxystrobin, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-9) kresoxim-methyl, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-11) picoxystrobin, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (2-12) pyraclostrobin, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (3-3) propiconazole, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (3-12) epoxiconazole, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (3-15) prothioconazole, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (3-17) tebuconazole, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (3-21) bitertanol, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (4-2) tolyfluanid, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (5-1) iprovalicarb, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (5-3) benthiavalicarb, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (6-2) boscalid, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (6-6) fenhexamid, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (6-7) carpropamid, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (6-11) 3,4-dichloro-*N*-(2-cyanophenyl)isothiazole-5-carboxamide, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (6-14) pen thiopyrad, wherein the ratio of compound (a) and compound (b) is 20:1 to 1:20;
- (7-1) mancozeb, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (7-4) propineb, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (8-3) metalaxyl, wherein the ratio of compound (a) and compound (b) is 5:1 to 1:100;
- (8-4) metalaxyl-M, wherein the ratio of compound (a) and compound (b) is 5:1 to 1:100;

- (8-5) benalaxyl-M, wherein the ratio of compound (a) and compound (b) is 5:1 to 1:100;
- (9-3) pyrimethanil, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:20;
- (10-3) carbendazim, wherein the ratio of compound (a) and compound (b) is 5:1 to 1:20;
- (11-2) propamocarb, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (12-4) iprodione, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:20;
- (14-2) prochloraz, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (14-3) triazoxide, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (16-2) fludioxonil, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (17-1) fosetyl-Al, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (19-2) chlorothalonil, wherein the ratio of compound (a) and compound (b) is 1:1 to 1:100;
- (19-3) fenamidone, wherein the ratio of compound (a) and compound (b) is 5:1 to 1:20;
- (19-10) spiroxamine, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (20-1) penycuron, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (22-1) 5-chloro-*N*-[(*IS*)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20;
- (22-2) 5-chloro-*N*-[(*IR*)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo-[1,5-*a*]pyrimidine-7-amine, wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20; and
- (24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide wherein the ratio of compound (a) and compound (b) is 10:1 to 1:20.